January 7, 2025

Contents

. 1
. 1
. 1
. 2
. 5
. 5
. 7
11

<u>General</u>



This document is provided in conjunction with the "bex" file CINF0159.bex, which comprises the executable code for the following Infinity System Control model numbers:

SYSTXBBECC01-C

This series C software is ONLY compatible with these model wall controls.

Detailed instructions on uploading this software into the Bryant Evolution Connex are included in this document. The software release package is available through this link:

http://cacbdpapps.net/marketing/eula/Infinity_System_Control_V0159_EULA.html

Note: This software is for the Series C controls only. The Series A or B controls cannot use Series C software and vice-versa.

Copyright Notice

Carrier Corporation is the copyright owner of this material. Copyright laws and international copyright treaties, as well as other intellectual property laws and treaties protect this software update package. User may not and shall not copy or otherwise reproduce or make available to any other party any part of or the entire software update package. The User may, however, make one (1) copy of Software for backup or archival purposes.

End User License Agreement

The user MUST read and accept the **End User License Agreement** included with this software package BEFORE downloading and using this software update package. If you do not accept the End User License Agreement, this software package must be deleted from your computer.

January 7, 2025

Revision History

Version 1.59 (January 2025)

Version 1.59 software includes the following updates to the Series C Bryant® Evolution® Connex™ Control:

- Fan coil electric heater kit learning improvements.
- ODU staging control enhancements.
- Equipment update via physical media process improvements.
- Airflow verification process corrections.
- Supported equipment combination additions.

Version 1.55 (October 2024)

Version 1.55 software includes the following updates to the Series C Bryant® Evolution® Connex[™] Control:

- Smart Save feature support
- Added ability to do partial refrigerant cooling weigh-in during refrigerant charging mode
- Changing all text instance of "software upgrade" to "software update".
- Changed all text instances of "environment"/"environment setting" to "climate zone", and "odu material type" to "odu coil type".
- Enabled support for outdoor temp from the weather forecast (instead of ----) on the weather forecast screen if no local OAT is measured.
- Physical media software update support for current deluxe ODUs/IDUs.
- Mobile application energy pricing corrections
- Dealer contact info upload improvements.
- Pump down mode corrections / enhancements.
- Additional equipment (geothermal) combinations
- Added support for Puron Advance uncased evaporator coils.
- Add refrigerant charging parameters to the Connected Portal
- Equipment discovery process enhancements
- Refrigerant charging mode enhancements
- Added support for ODU coil types (Copper / Aluminum)
- Updated defrost algorithms on heat pumps now use 30m defrost time for Next Generation Greenspeed, as well as Next Generation Evolution Extreme, 15m for Legacy heat pumps, 5 stage, heat pumps and for all other systems.
- Added timeout for subcooling/heating check charge function.
- Added info help text on new setup screens.
- Added support for ODU model manual overwrite.
- GUI corrections / enhancements
- Blower motor validation added to communicating fan coil service boards.
- Added IDU and ODU compatibility checking
- Corrections to checkout mode
- Smart Save support added.
- Use factory model number instead of model number description for Deluxe fan coils
- Deluxe furnace CFM reporting corrections
- Deactivated unused proximity support.

January 7, 2025

• Added support for packaged geothermal units

Version 1.50 (April 2024)

Version 1.50 software includes the following updates to the Series C Bryant® Evolution® Connex[™] Control:

- Modulation limit screen reinstated for legacy gas furnaces
- Quiet mode for outdoor units defaulted to off
- Heat source lockout screen corrected
- Time synchronized between app and control
- Dissipation event improvements
- Support of French language in equipment checkout screens
- Geothermal RPM Max screen corrected
- File structure for USB updates made like -B SD Card

Version 1.43 (November 2023)

Version 1.43 software includes the following updates to the Series C Bryant® Evolution® Connex[™] Control:

- Integrate new communicating gas furnace models
- Allow OTA to new communicating furnaces
- Integrate new communicating fan coil
- Set the time zone from Wi-Fi setup screens
- End User License Agreement (EULA) update
- Additional N coils models added
- System monitor correction for Celsius
- OAT (outdoor air temperature) fix for negative temperatures
- Schedule fix to sync system control to APP
- Dealer name change on maintenance reminder to fix overlapping text
- Improved diagnostic codes for communicating outdoor units

Version 1.11 (June 2022)

Version 1.11 software includes the following updates to the Series C Bryant® Evolution® Connex[™] Control:

- System monitor implemented to prevent over conditioning including a high and low temperature alert
- WPA3 security compatibility for Wi-Fi connection
- Functionality added for selection of new evaporator V Coil in the discovery screens
- New Over The Air (OTA) Status Indicator on the idle screen to indicate new firmware is being downloaded
- Temperature compensation algorithm improved for better temperature accuracy
- Time synchronization corrected so it synchronizes immediately when enabled
- Equipment summary updated to reflect correct outdoor unit size with NIM application.
- SAM Module compatibility added

January 7, 2025

- Wi-Fi advanced options are now available
- "All zones hold" no longer results in a quick timeout on the main screen

Version 1.05 PRODUCTION (February 2, 2022)

Initial release

January 7, 2025

Installation Instructions

Finding the Current Software Version

The software installation process is Over The Air (OTA) and via USB-C drive. The current software version may be determined as follows:

Press menu on the Main screen,



and then the down-arrow to go to the second menu screen.



Touch service icon.



January 7, 2025

Touch model/serial numbers on the resulting screen.


service	
service information	
service reminder setup	
software update	
model/serial numbers	
back i	done

Touch system control on the resulting screen.

model/serial numbers please select equipment			
system control	fan coil	heat pump	
zone board	no SAM/B36	no NIM	
dissipation board			
back	i	done	

View the Software Version number.

Software Version 131755-01.11, for example, is the production software version 1.11, released in February 2022.



January 7, 2025

Downloading the Software Update

For Series C controls, software updates are provided via over-the-air (OTA) or uploaded manually using a USB - C memory device. The following instructions apply to the manual update process.

You will obtain best results using a USB – C device that is between 4GB - 32GB in size and formatted as a FAT32 device. Any other formatting (NTFS, exFAT, etc.) will result in an error of "please insert USB – C Device."

To perform a control software update, follow these steps:

Click on this link to obtain the updated software:

"https://cacbdpapps.net/marketing/eula/Evolution_Connex_V0150_EULA.html"

If the link does not work properly, copy the link into your browser web address window and open the link.

NOTE: You may NOT distribute the software itself. You may only distribute the link to the software, or this document.

Read the End User License Agreement (EULA).

S cacbdpapps.net/marketing/eula/ × +	-		
\leftarrow \rightarrow C \bigtriangleup Search Google or type a URL	0	A	
END USER LICENSE AGREEMENT FOR CARRIER RESIDENTIAL HVAC PRODUCT FIRMWARE & SOFTWARE UPDATES			
BY DOWNLOADING, INSTALLING OR USING THE SOFTWARE, YOU AGREE TO BE BOUND BY THIS END USER LICE! (THE "AGREEMENT"). IF YOU DO NOT AGREE, DO NOT INSTALL, COPY OR USE THE SOFTWARE; YOU MUST DELI ANY COPY IN YOUR POSSESSION OR CONTROL. This Agreement is between you ("you" or "your") and Car ("Licensor") for the product firmware and software intended to be used with Carrier Residential HVAC products this Agreement, including all associated media, printed or electronic documentation, and internet-based services "Software").	TE OR rier Cor that ac	DESTR rporati compa	OY on ny
IF YOU ARE A CONTRACTOR ACCEPTING THIS AGREEMENT ON BEHALF OF A CONSUMER, YOU REPRESENT CONSUMER'S CONSENT TO ACCEPT IT ON THEIR BEHALF.	YOU H	AVE T	HE
 License Grants. During the term of this Agreement and conditioned upon your full compliance with all of the Ag and conditions, Licensor grants to you the following licenses: 	reemen	nt's terr	ms
A. Software. Licensor grants to you a personal, nonexclusive, nonsublicensable, nontransferable revocable and use the Software solely in connection with your use of Carrier Residential HVAC products.	license	to inst	al
B Documentation. Licensor grants to you a personal, nonexclusive, nonsublicensable, nontransferable, rev make and use a reasonable number of copies of documentation provided with the Software for your internal use in your use of the Software; provided that you reproduce all copyright and other proprietary notices that are on the or	connec	tion wi	
2. License Limitations. The license(s) granted in Section 1 are conditioned upon your compliance with the follow	ving lim	itation	5:
A Reverse Engineering. You may not decompile, decipher, disassemble, reverse engineer or otherwise a source code of the Software, or circumvent any technical limitations in the Software that limit or restrict access Software or any content, file, or other work, except as expressly permitted by applicable law notwithstanding this lin B No Distribution, Rental or Transfer. You may not distribute, publish, rent, lease, lend, transfer, sublic otherwise provide the Software to any third party.	to or un nitation.	se of t	he
C No Modification or Derivative Works. You may not modify or create derivative works of the Software, in v D Proprietary Notices. You may not remove any proprietary notices or labels on the Software or any copy t E Non-Permitted Uses. Without limiting any of the foregoing, you may not make any use of the Software ir expressly permitted by this Agreement.	hereof.	1.1	

January 7, 2025

At the bottom of the EULA, choose "Yes" if you accept the agreement. If you do not wish • to accept the agreement, you will not be able to download the software update.

NOTE: EACH user must accept the EULA each time the software is downloaded. You may NOT distribute the software itself. You may only distribute the link to the software, or this document.

S cacbdpapps.net/marketing/eula/ X	+	- • ×
\leftrightarrow \rightarrow C \triangle G Search God	gle or type a URL	0 A :
have no legal or contractual signif illustrative and not exhaustive, unle act with respect to a breach by y subsequent or similar breaches. No it is in a signed writing, and no wa same provision on another occasion restriction of this Agreement to I remaining terms, covenants and res affected, impaired or invalidated. Yc rights (if any) under this Agreement This Agreement constitutes the en Software and merges all prior an electronic, oral or written, betweer Licensor in connection with this Ag day they are deposited in the U.S.	his Agreement are used solely for the parties' co icance. Any list of examples following "includir ss qualified by terms like "only" or "solely." Lice ou or others does not waive its right to act waiver of any provision of this Agreement will be iver will constitute a waiver of any other provis . If a court of competent jurisdiction holds any te be illegal, invalid or unenforceable, in whole trictions will remain in full force and effect and w u may not assign, transfer or sublicense this Agr . This Agreement will be binding upon all success the agreement between you and Licensor with d contemporaneous communications and prop you and Licensor with respect to the Software eement must be in writing and will be deemed mails, postage prepaid, certified or registered, er, charges prepaid to the address set forth below	g" or "e.g.," is nsor's failure to with respect to effective unless ion(s) or of the m, covenant or or in part, the ill in no way be eement or your ors and assigns. respect to the losals, whether . All notices to given as of the return receipt
I agree to the terms of this	License Agreement and desire to access the softw	are.*
Yes	No	

Yes

January 7, 2025

 Use the Download link provided in the EULA document to download the software update package.



 Once the file has been downloaded, open it in WinZip. Select the TSTAT folder, then the Unzip to action.

NOTE: The names of the files in the images below are examples and will change with the latest version numbers.

💐 💕 🖡 💾 🖛 Version_024	10_Ca	rrier - WinZip Enterprise		_	\Box \times
File Unzip/Share Edit	Ba	ckup Tools Settings Vi	ew Help		~ 🕐
Files + Files	>	Version_0150_C	arrier	Actions Unzip All Files	^
Browse & Manage Files	^	TSTAT Type: Folder	3/25/2020	Unzip to: \Version_02	0_Car ¥
Computer AI250394 1.66 TB free of 2.75 TB				Convert & Protect When adding files to the	
Network				Encrypt	Off
5				Reduce Photos	Off
od Homegroup	v			Convert Photos	Off
		1 item(s)	Zip File: 6 item(s), 4.72 MB	Remove Info	Off 🗾 🗸

January 7, 2025

• Choose the USB-C drive as the location to which to extract the folder from the zip file. This will create a new **TSTAT** folder or over-write the existing **TSTAT** folder and any files contained within it. Click **Unzip**.

🖳 Unzip - Version_0240_Carrier.zip			\times
\leftarrow \rightarrow \checkmark \uparrow \bigcirc « Computer	Al > USB Drive (E:) > V]	
New folder			?
🧊 3D Objects	A USB Drive (E:)		
🔜 Desktop	USB Drive (E.)		
Documents			
🖶 Downloads			
👌 Music			
E Pictures			
💾 Videos			
🎬 Windows (C:) (113 GB			
🕳 Data (D:) (113 GB free			
🕳 Backup Plus (F:) (1.44			
0 USB Drive (E:) (3.04 G			
MyStuff			
TSTAT	¥		
		Unin	
		Unzip Cancel	::

January 7, 2025


- Verify that the files, including the CINF0152.bex file, have been extracted into the TSTAT folder of the USB-C drive.
- **NOTE:** The names of the files in the images below are examples and will change with the latest version numbers.

I I I I I I I I I I I I I I I I I I I		- 🗆 X
Image: A constraint of Quick Copy Paste Image: Copy Copy Copy Paste Paste shortcut Paste shortcut	More Copy Detet Rename New Folder	
Clipboard	Organize New Open Select	
← → × ↑ 📙 > This PC > USB Drive	e (E:) > TSTAT V O Search TSTAT	م
Recordings	Name Date modified Type Size	
TSTAT	Carrier Ell A-Carrier Products 20240409 12/1/2023 10:41 AM Microsoft Edge P 326 KB	
This PC	(I) CINF0150 4/4/2024 10:35 PM BEX File 8,664 KB	
3D Objects	war mininty system Control Version 0150 Rele 6/27/2024 11:21 AM Microsoft Edge P 262 KB	
Desktop		
Documents		
Downloads		
👌 Music		
E Pictures		
😸 Videos		
SDisk (C:)		
SDHC (D:)		
USB Drive (E:)		
TSTAT		
🛫 Marketing (\\cusiif05\secured) (K:)		
🛫 Engineering (\\cusiif06\secured) (M:)		
SDHC (D:)		
USB Drive (E:)		
Petwork	•	
3 items		8==

Next, eject the USB-C drive from the PC and go on to the installation, below.

Installing the Software Update

From the **MENU** screen, select the **service** icon.



January 7, 2025

• Select **software update**. If this option does not appear, your dealer will need to install your software. Contact your dealer for assistance.



Select update software using USB – C device.

soft	tware update	
update software us	sing Wi-Fi	
end user license a	greement	
update software u	sing USB-C	
back	i	done

Select system control software update.

Note: Some systems may include HVAC equipment capable of accepting a software update, but that is not covered in this document.

update	e software using US	B-C
system control		
back	i	done

January 7, 2025

Plug the USB-C drive into the bottom right of the control.

If this screen continues to appear, recheck the device and formatting. See the download section.



 If the .bex file is stored properly on the USB-C drive, this screen will appear. If the screen says, "Please insert USB-C drive", remove the USB-C drive and re-insert. If it still does not show the screen, below, go back to the download part and retry.

NOTE: The names of the files in the images below are examples and will change with the latest version numbers.

Press **yes** to continue with the software upgrade. The upload and installation will take several minutes.



When the software upgrade is complete, a "successful" message will appear.

6 1 1	
software update	
software successfully upgraded to ver	sion
131755-01.52	
()	done
	0006

January 7, 2025

• The control will perform a restart after the **done** button is pressed.

There will be a longer than normal delay for the wall control to restart since part of the process at this time is the completion of the new software installation. Once the control has successfully restarted, the USB-C device may be removed.



• This completes the software upgrade process.

You may want to confirm the new software version, as described above.